


Glanded pump
Wilo-Crono.

Product brochure.



Pumpen Intelligenz.






$$\text{Hydraulic EFFiciency} + \text{Motor EFFiciency} = \text{EFF-IQ}$$

The sum of all parts.

A number of factors are decisive for the energy efficiency of a pump. Especially important is the efficiency of the hydraulics. The Wilo-Crono series sets standards in respect of design, manufacture and efficiency. And the choice of motors lets you use further potentials for energy saving.

But even the maintenance efficiency of important components has a decisive influence on the overall efficiency of the pump. Taking all of these factors into account, the Wilo-Crono offers overall the greatest efficiency in dry-runner technology.

Efficiency: Wilo-Crono glanded pump



$$\text{Hydraulic EFFiciency} + \text{Motor EFFiciency} = \text{EFF-IQ}$$

Consideration of the efficiency of the motor alone only gives you half the truth. The combination of motor and hydraulics is the only way to gain a transparent and reliable yardstick: the overall efficiency (EFF-IQ). And this is where the outstanding hydraulic design of the Wilo-Crono comes into its own. It is down to this that the pumps in this series, even when

specified with EFF II motors, achieve the same or higher overall efficiency than pumps of other manufacturers with EFF I motors. When fitted with EFF I motors, Wilo-Crono pumps reach the highest overall efficiency among all of the competition. An investment that more than pays off over the long term, especially in the upper performance range.

Wilo-Crono glanded pump. Perfect hydrodynamics for optimal efficiency levels.

Hydraulic EFFiciency

Harmony of forces.

The perfect development of forces in the hydraulics of Wilo-Crono glanded pumps is above all down to extremely precise matching of rotor and pump housing. Thanks to the latest hydrodynamic findings and the use of ultra-modern methods, our development engineers have succeeded in keeping flow energy losses extremely low, thus achieving optimal efficiency. The particularly smooth interior surfaces of the housing and rotor are fundamental to this. In addition, the geometry of the pump housing has been designed so that separation and unwanted deflection of the flow are largely ruled out. This also means that there is a noticeable reduction in axial and radial forces, providing smoother running and better operating reliability.

Flow made to measure.

Owing to perfect design and precise manufacture, the gap dimensions of the hydraulic components are kept extremely small without risking rotor locking, despite the axial and radial forces that are present. Wilo has all the production engineering capabilities required for this exceptional level of precision. Small gap dimensions have an extremely positive effect on flow behaviour: internal recirculation between suction and delivery sides within the hydraulics is reduced to a minimum. That also helps achieve high pump efficiency. A positive effect of perfect design is that the loads on wearing parts – bearings and mechanical seals – are reduced and their service life is significantly longer.



The perfect geometry of the rotor in terms of hydrodynamic aspects is developed using the latest computer technology.



Precision work: the extremely accurate arrangement and orientation of the blades in the rotor enable optimal development of force.



Smallest possible gap dimensions at the junctions between housing and rotor guarantee optimal pressure and flow conditions.

Wilo-Crono glanded pump. Ultra-modern motor technology for optimal efficiency levels.

Motor EFFiciency

Master of all classes.

Through outstanding hydraulics alone, the glanded pumps of the Wilo-Crono series win over with exceptional efficiency. If needed, this can even be further increased through selection of an appropriate motor. Wilo offers powerful motors in very high efficiency classes for this purpose. To illustrate, the Wilo-Crono is fitted as standard with an energy-saving EFF II motor, but can be supplied with an even more efficient EFF I motor if required. But whichever motor you decide on, Crono motors are standard units that, even after many years of service, can be replaced without any difficulties.

Save energy intelligently.

And things get even more efficient if you decide on an electronically controlled Wilo-Crono. For, in contrast to the standard models, these are specified with an integrated frequency converter. This latest Wilo technology enables extraordinarily precise control of pump speed – and thus energy savings of up to 50%*. The pump intelligently matches its speed to the demand and consumes only as much energy as is actually needed. A further advantage of electronic pumps: they offer optimal capabilities for communication in building automation systems.

* Compared to standard pumps.

EFF I

EFF II



Ensuring an energy-saving drive with the Wilo-Crono series: motors of efficiency classes EFF I and EFF II.



The Wilo-Crono is also available with electronic speed control, if required: made by Wilo in Dortmund.



The red-button technology in the Wilo-Crono electronically controlled models enables optimal usability.



Pumpen Intelligenz.

WILO AG
Nortkirchenstraße 100
44263 Dortmund
Germany
T +49 231 4102-0
F +49 231 4102-7363
www.wilo.com

Wilo – International (Subsidiaries)

Austria

WILO Handlungsges. m.b.H.
1230 Wien
T +43 5 07507-0
F +43 5 07507-42
office@wilo.at

Azerbaijan

WILO Caspian LLC
1014 Baku
T +994 12 4992386
F +994 12 4992879
info@wilo.az

Belarus

WILO Bel OOO
220035 Minsk
T +375 17 2503393
F +375 17 2503383
wilobel@wilo.by

Belgium

WILO SA/NV
1083 Ganshoren
T +32 2 4823333
F +32 2 4823330
info@wilo.be

Bulgaria

WILO Bulgaria Ltd.
1125 Sofia
T +359 2 9701970
F +359 2 9701979
info@wilo.bg

Canada

WILO Canada Inc.
Calgary, Alberta T2A5L4
T/F +1 403 2769456
bill.lowe@wilo-na.com

China

WILO SALMSON (Beijing)
Pumps System Ltd.
101300 Beijing
T +86 10 80493900
F +86 10 80493788
wilobj@wilo.com.cn

Croatia

WILO Hrvatska d.o.o.
10090 Zagreb
T +38 51 3430914
F +38 51 3430930
wilo-hrvatska@wilo.hr

Czech Republic

WILO Praha s.r.o.
25101 Cestlice
T +420 234 098 711
F +420 234 098 710
info@wilo.cz

Denmark

WILO Danmark A/S
2690 Karlslunde
T +45 70 253312
F +45 70 253316
wilo@wilo.dk

Estonia

WILO Eesti OÜ
12618 Tallinn
T +372 6509780
F +372 6509781
info@wilo.ee

Finland

WILO Finland OY
02330 Espoo
T +358 207401540
F +358 207401549
wilo@wilo.fi

France

WILO S.A.S.
78310 Coignières
T +33 1 30050930
F +33 1 34614959
info@wilo.fr

Great Britain

WILO (U.K.) Ltd.
DE14 2WJ Burton-Upon-Trent
T +44 1283 523000
F +44 1283 523099
sales@wilo.co.uk

Greece

WILO Hellas AG
14569 Anixi (Attika)
T +302 10 6248300
F +302 10 6248360
wilo.info@wilo.gr

Hungary

WILO Magyarország Kft
2045 Törökbálint (Budapest)
T +36 23 889500
F +36 23 889599
mail@wilo.hu

Ireland

WILO Engineering Ltd.
Limerick
T +353 61 227566
F +353 61 229017
sales@wilo.ie

Italy

WILO Italia s.r.l.
20068 Peschiera Borromeo
(Milano)
T +39 25538351
F +39 255303374
wilo.italia@wilo.it

Kazakhstan

WILO Central Asia
050002 Almaty
T +7 3272 785961
F +7 3272 785960
in.pak@wilo.kz

Korea

WILO Pumps Ltd.
621-807 Gimhae Gyeongnam
T +82 55 3405809
F +82 55 3405885
wilo@wilo.co.kr

Latvia

WILO Baltic SIA
1019 Riga
T +371 7 145229
F +371 7 145566
mail@wilo.lv

Lebanon

WILO SALMSON
Lebanon
12022030 El Metn
T +961 4 722280
F +961 4 722285
wsl@cyberia.net.lb

Lithuania

WILO Lietuva UAB
03202 Vilnius
T/F +370 2 236495
mail@wilo.lt

Montenegro

WILO Beograd d.o.o.
11000 Beograd
T +381 11 2850410
F +381 11 2851278
office@wilo.co.yu

The Netherlands

WILO Nederland b.v.
1948 RC Beverwijk
T +31 251 220844
F +31 251 225168
info@wilo.nl

Norway

WILO Norge AS
0901 Oslo
T +47 22 804570
F +47 22 804590
wilo@wilo.no

Poland

WILO Polska Sp. z o.o.
05-090 Raszyn
T +48 22 7026161
F +48 22 7026100
wilo@wilo.pl

Portugal

Bombas Wilo-Salmson Portugal
Lda.
4050-040 Porto
T +351 22 2076900
F +351 22 2001469
bombas@wilo-salmson.pt

Romania

WILO Romania s.r.l.
041833 Bucharest
T +40 21 4600612
F +40 21 4600743
wilo@wilo.ro

Russia

WILO Rus ooo
123592 Moscow
T +7 495 7810690
F +7 495 7810691
wilo@orc.ru

Serbia

WILO Beograd d.o.o.
11000 Beograd
T +381 11 2850410
F +381 11 2851278
office@wilo.co.yu

Slovakia

WILO Slovakia s.r.o.
82008 Bratislava 28
T +421 2 45520122
F +421 2 45246471
wilo@wilo.sk

Slovenia

WILO Adriatic d.o.o.
1000 Ljubljana
T +386 1 5838130
F +386 1 5838138
wilo.adriatic@wilo.si

Spain

WILO Ibérica S.A.
28806 Alcalá de Henares
(Madrid)
T +34 91 8797100
F +34 91 8797101
wilo.iberica@wilo.es

Sweden

WILO Sverige AB
35246 Växjö
T +46 470 727600
F +46 470 727644
wilo@wilo.se

Switzerland

EMB Pumpen AG
4310 Rheinfelden
T +41 61 8368020
F +41 61 8368021
info@emb-pumpen.ch

Turkey

WILO Pompa Sistemleri
San. ve Tic. A.Ş.
34857 Istanbul
T +90 216 6610203
F +90 216 6610212
wilo@wilo.com.tr

Ukraine

WILO Ukraina t.o.w.
01033 Kiev
T +38 044 2011870
F +38 044 2011877
wilo@wilo.ua

USA

WILO-EMU LLC
Thomasville, Georgia
31758-7810
T +1 229 584 0098
F +1 229 584 0234
terry.rouse@wilo-emu.com

WILO USA LLC
Calgary, Alberta T2A5L4
T/F +1 403 2769456
bill.lowe@wilo-na.com

Wilo – International (Representation offices)

Bosnia and Herzegovina

71000 Sarajevo
T +387 33 714510
F +387 33 714511
zeljko.cvjetkovic@wilo.ba

Georgia

0177 Tbilisi
T/F +995 32317813
info@wilo.ge

Macedonia

1000 Skopje
T/F +389 2122058
valerij.vojneski@wilo.com.mk

Moldova

2012 Chisinau
T/F +373 2 223501
sergiu.zagorean@wilo.md

Tajikistan

Dushanbe
T +992 93 5554541

Uzbekistan

100046 Taschkent
T/F +998 71 1206774
info@wilo.uz

August 2006